

GENSPRO®
Portable Power Station Expert

2019

PORTABLE POWER SUPPLY

**Travel
Into the wildness**
Wherever you need power!






Shenzhen Jin Shipeng Technology Co., Ltd. was established in 2013. At present, it mainly develops and produces energy-saving and environmental protection products such as mobile energy storage power supply, portable energy storage power supply, lithium battery UPS backup power supply, solar energy charging system and solar emergency mobile power supply. The company hired a senior R&D director who has been engaged in power supply R&D for 20 years and set up a research and development team. Based on the experience of power application, several multi-level intelligent power products have been developed. The products have passed **CE, FCC, PSE and ROHS** certification. The company now has a 2000 square modern production base, ISO9001 management process to ensure that each of our products can meet the quality requirements of customers. Jin Shipeng adheres to the business philosophy of “**innovation, pragmatism, high efficiency and win-win**”, adhering to the business philosophy of “market-oriented, quality-oriented, management-oriented”, welcoming customers with excellent product quality and maintaining customers with reputation!



HIGH QUALITY
LI-POLYMER BATTERIES
 POWERED BY EXCELLENT BATTERY FACTORIES



PORTABLE POWER SUPPLIES

PRODUCT INTRODUCTION

MODEL **EA150**

CATEGORY: PORTABLE SOLAR GENERATOR

45000 mAh
LITHIUM ION BATTERY

166 Wh
BATTERY POWER

150 W
AC POWER OUTPUT

12 V
DC OUTPUT

3.0 A
USB OUTPUT



Ultra Pure
SINE WAVE



FC CE RoHS UN38.3 MSDS



Name	Portable Solar Generator
Capacity	166Wh,15Ah/3.7V(Eq:45000mAh,3.7V)
Weight	2.0Kg
Fully Charged Time	DC 15V / 2.5 A : 5~6 hours
Dimensions (L W H)	210 x 120 x 130 mm
Input Recharging	Adapter: DC 15V / 2.5A Solar Panel Charging : 18V~24V
DC Wattage (MAX)	9~12V/10A(Max)
Output	USB 5V/2.4A ; QC 3.0 ,DC 9~12V/10A(Max)
AC Output	Pure Sine Wave Output AC Continuous Output : 150W AC Voltage:110/120/220/230/240VAC ±5% Output Frequency : 50/60 Hz ±5% Customized According to different Countries and areas
Screen display	LCD light
Operation Temperature	-10 °C ~ 40°C
Life cycle	> 800 times
Safety Technology	Multi Safety Protection
Package include	1x Portable Solar Generator 1x Power Adapter 1x Cigarette light adapter 1x Car Charger 1x User manual
Color	green Black ; yellow Black

PORTABLE POWER SUPPLIES

PRODUCT INTRODUCTION

MODEL G300

CATEGORY: PORTABLE SOLAR GENERATOR

60000 mAh
LITHIUM ION BATTERY

222 Wh
BATTERY POWER

300 W
AC POWER OUTPUT

12 V
DC OUTPUT

3.0 A
USB OUTPUT



Ultra Pure
SINE WAVE



FC CE PS E UN38.3 MSDS



Name	Portable Solar Generator
Capacity	222Wh, 20Ah/3.7V (Eq: 60000mAh, 3.7V)
Weight	2.6Kg
Fully Charged Time	DC 15V / 4A : 5~6 hours
Dimensions (L W H)	248 x 86 x 151 mm
Input Recharging	Adapter : DC 15V / 4A Solar Panel Charging : 18V~24V
DC Wattage (MAX)	9~12V/10A(Max)
Output	USB 5V/2.4A ; QC 3.0 , DC 9~12V/10A(Max)
AC Output	Pure Sine Wave Output AC Continuous Output : 300W AC Voltage: 110/120/220/230/240VAC $\pm 5\%$ Output Frequency : 50/60 Hz $\pm 5\%$ Customized According to different Countries and areas
Screen display	LCD light
Operation Temperature	-10 °C ~ 40 °C
Life cycle	> 800 times
Safety Technology	Multi Safety Protection
Package include	1 x Portable Solar Generator 1 x Power Adapter 1 x Cigarette light adapter 1 x Car Charger 1 x User manual
Color	Silver Black

MODEL E200

CATEGORY: PORTABLE SOLAR GENERATOR

45000^{3.7V} mAh
LITHIUM ION BATTERY

166^{Wh}
BATTERY POWER

200^W
AC POWER OUTPUT

12^V
DC OUTPUT

3.0^A
USB OUTPUT



Ultra Pure
SINE WAVE




UN38.3 MSDS



Name	Portable Solar Generator
Capacity	166Wh, 15Ah/3.7V (Eq: 45000mAh, 3.7V)
Weight	1.85Kg
Fully Charged Time	DC 15V / 2.5 A : 5~6 hours
Dimensions (L W H)	208x 110 x 158mm
Input Recharging	Adapter : DC 15V / 2.5A Solar Panel Charging : 18V~24V
DC Wattage (MAX)	9~12V/10A(Max)
Output	USB 5V/2.4A ; QC 3.0 , DC 9~12V/10A(Max)
AC Output	Pure Sine Wave Output AC Continuous Output : 200W AC Voltage: 110/120/220/230/240VAC ± 5% Output Frequency : 50/60 Hz ± 5% Customized According to different Countries and areas
Screen display	LCD light
Operation Temperature	-10 °C ~ 40°C
Life cycle	> 800 times
Safety Technology	Multi Safety Protection
Package include	1 x Portable Solar Generator 1 x Power Adapter 1 x Cigarette light adapter 1 x Car Charger 1 x User manual
Color	Orange Black ; Black

PORTABLE POWER SUPPLIES

PRODUCT APPLICATION



166WH

PORTABLE SOLAR GENERATOR



166WH

PORTABLE SOLAR GENERATOR





222WH
PORTABLE
SOLAR GENERATOR

BE CHARGED ! ON THE ROAD !



EA150
45000mAh
DUAL QC3.0



Safety Technology Product



Over-temperature
protection



Over-charge
protection



Short-circuit
protection



Over-discharge
protection



Over-voltage
protection



Anti-discharge
protection



Cell
protection



Over-power
protection



Recovery
protection

GENSPRO®

Patents&
Certifications...





Contact Information

Shenzhen GENSPRO Technology Co., Ltd.

Addr : Room 819, Juntaihao Business Center, No. 120 Yongfu Road,
Fuhai Street, Baoan District, Shenzhen, China

Tel : +86 755 29988561

Website : <http://www.genspor.cn>